



FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.
Issue date: 13-2-2026 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Article
Product name	: FLITECELL (UN3480)
Other means of identification	: FLITECELL EXPLORE FLITECELL SPORT FLITECELL NANO MN FLITECELL EXPLORE MN FLITECELL SPORT MN FLITECELL NANO

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public	
Main use category	: Consumer use, Professional use, Industrial use
Use of the substance/mixture	: Electrical batteries and accumulators

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Fliteboard Pty Ltd
Unit 4, 18 Banksia Drive
NSW 2481 Byron Bay
Australia
T APAC Enquiries: +61251189888
T EMEA Enquiries: +31 648 013 732
T Americas Enquiries: +1 833 359 0940
info@fliteboard.com - www.fliteboard.com

1.4. Emergency telephone number

Emergency number	: 24/7 Emergency Contact Numbers
	AT: +43 1 3649237 or 0800 293702
	AU: +61 2 9037 2994 or 1800 862 115
	BE: +32 2 808 32 37
	CA: +1 703-741-5970
	CH: +41-435082011
	DE: 0800 1817059 or +43 1 3649237
	ES: +34-931768545 or 900 868 538
	FR: +33 9 75 18 14 07
	GR: +30 21 1176 8478
	IT: +39 02 4555 7031 or 800 789 767
	LU: +352 20 20 24 16
	NL: +31 85 888 0596
	NZ: +64 9-801 0034 or 0800 425 459
	PL: +48 22 398 80 29
	UK: +44 20 3807 3798
	US: +1 703-741-5970

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Country/Area	Organisation	Emergency number
United Kingdom	National Poisons Information Service (Belfast Centre). Royal Victoria Hospital. Grosvenor Road BT12 6BA Belfast.	0344 892 0111 Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Carcinogenicity, Category 1A	H350
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335
Specific target organ toxicity – Repeated exposure, Category 1	H372
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No hazards in case of an intact battery and using according the instructions. The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

2.2. Label elements

No labelling obligation.
No labelling applicable

2.3. Other hazards

Results of PBT and vPvB assessment

This substance does not meet the PBT criteria of UK REACH regulation, annex XIII
This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	Lithium hexafluorophosphate(1-) (21324-40-3), Ethylene carbonate (96-49-1), propylene carbonate (108-32-7), ethyl methyl carbonate (623-53-0), copper (7440-50-8), Aluminium (7429-90-5), <Ontbrekende vertaling> (12190-79-3), Manganese (7439-96-5), Nickel (7440-02-0), Graphite (7782-42-5), Carbon black (1333-86-4)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	Lithium hexafluorophosphate(1-) (21324-40-3), Ethylene carbonate (96-49-1), propylene carbonate (108-32-7), ethyl methyl carbonate (623-53-0), copper (7440-50-8), Aluminium (7429-90-5), <Ontbrekende vertaling> (12190-79-3), Manganese (7439-96-5), Nickel (7440-02-0), Graphite (7782-42-5), Carbon black (1333-86-4)

Results of Endocrine Disruptor assessment

The substance is not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP

Component	
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Aluminium(7429-90-5), <Ontbrekende vertaling>(12190-79-3), Manganese(7439-96-5), Nickel(7440-02-0), Ethylene carbonate(96-49-1), propylene carbonate(108-32-7), ethyl methyl carbonate(623-53-0), copper(7440-50-8), Graphite(7782-42-5), Carbon black(1333-86-4), Lithium hexafluorophosphate(1-)(21324-40-3)

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Aluminium substance with workplace exposure limit(s)	CAS-No.: 7429-90-5 EC-No.: 231-072-3	15 – 70	Not classified
	CAS-No.: 12190-79-3 EC-No.: 235-362-0	< 60	Skin Sens. 1, H317 Carc. 1A, H350
Manganese substance with workplace exposure limit(s)	CAS-No.: 7439-96-5 EC-No.: 231-105-1	< 60	Not classified
Nickel substance with workplace exposure limit(s)	CAS-No.: 7440-02-0 EC-No.: 231-111-4 UK Index-No.: 028-002-00-7	< 60	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372
Ethylene carbonate	CAS-No.: 96-49-1 EC-No.: 202-510-0	< 25	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Irrit. 2, H319 STOT RE 2, H373
propylene carbonate	CAS-No.: 108-32-7 EC-No.: 203-572-1 UK Index-No.: 607-194-00-1	< 25	Eye Irrit. 2, H319
ethyl methyl carbonate	CAS-No.: 623-53-0	< 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
copper substance with workplace exposure limit(s)	CAS-No.: 7440-50-8 EC-No.: 231-159-6	5 – 20	Not classified
Graphite substance with workplace exposure limit(s)	CAS-No.: 7782-42-5 EC-No.: 231-955-3	< 20	Not classified
Carbon black substance with workplace exposure limit(s)	CAS-No.: 1333-86-4 EC-No.: 215-609-9	< 20	Not classified
Lithium hexafluorophosphate(1-)	CAS-No.: 21324-40-3 EC-No.: 244-334-7	1 – 10	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Skin Corr. 1A, H314 STOT RE 1, H372

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: This information is of relevance only if the battery is broken and this results in a direct contact with the ingredients. If medical advice is needed, have product container or label at hand. Seek medical attention immediately. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact

: Wash skin with plenty of water. Remove/Take off immediately all contaminated clothing. Get immediate medical attention.

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. immediate medical advice.
First-aid measures after ingestion	: Rinse mouth out with water. Do NOT induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. immediate medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Inhalation of material from a sealed battery is not an expected exposure route. Vapors or mists from a ruptured battery may cause respiratory irritation.
Symptoms/effects after skin contact	: Contact between the battery and skin will not cause any harm. Skin contact with positive and negative terminals of high voltages may cause burns to the skin. Skin contact with a ruptured or shorted battery can cause chemical burns or irritation upon contact with the skin.
Symptoms/effects after eye contact	: Contact between the battery and eye will not cause any harm. Eye contact with the contents of a ruptured battery can cause severe irritation to the eye.
Symptoms/effects after ingestion	: Swallowing of material from a sealed battery is not an expected exposure route. Swallowing mists from a ruptured battery may cause respiratory irritation, chemical burns of the mouth and gastrointestinal tract irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media	: Water.

5.2. Special hazards arising from the substance or mixture

Explosion hazard	: Explosion risk in case of fire.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon oxides (CO, CO ₂). Metallic oxides.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: If the battery material is released, remove personnel from the area until fumes dissipate. Ventilate the area to remove the hazardous gases. Leave the area and allow the batteries to cool. Avoid skin and eye contact or inhalation of vapors.
------------------	--

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product.
-------------------------	-------------------------------------

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful. Concerning personal protective equipment to use, see section 8. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Charging:
There is a possible risk of electric shock from charging equipment and from strings of series connected batteries, whether or not being charged. Shut-off power to chargers whenever not in use and before detachment of any circuit connections. Charging space should be ventilated.

Storage conditions : Keep only in the original container in a cool well ventilated place. Keep container closed when not in use.

Incompatible products : Strong acids. Strong bases. Strong oxidizing agent.

Heat and ignition sources : Keep away from heat and direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

copper (7440-50-8)	
United Kingdom - Occupational Exposure Limits	
Local name	Copper
WEL TWA (OEL TWA)	0,2 mg/m ³ fume (as Cu) 1 mg/m ³ and compounds, dusts and mists (as Cu)
WEL STEL (OEL STEL)	2 mg/m ³ and compounds, dusts and mists (as Cu)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Aluminium (7429-90-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Aluminium
WEL TWA (OEL TWA)	2 mg/m ³ alkyl compounds 2 mg/m ³ salts, soluble 10 mg/m ³ metal, inhalable dust 4 mg/m ³ metal, respirable dust
WEL STEL (OEL STEL)*	6 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
	*STEL value is calculated based on the TWA limit

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Manganese (7439-96-5)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	0,5 mg/m ³
WEL STEL (OEL STEL)	1,5 mg/m ³ (calculated)
Nickel (7440-02-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Nickel
WEL TWA (OEL TWA)	0,5 mg/m ³ and its inorganic compounds (except nickel tetracarbonyl): nickel and water insoluble nickel compounds (as Ni) 0,1 mg/m ³ and its inorganic compounds (except nickel tetracarbonyl): water-soluble nickel compounds (as Ni)
WEL STEL (OEL STEL)*	1,5 mg/m ³
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), Carc (Capable of causing cancer and/or heritable genetic damage (nickel oxides and sulphides)), Sen (Capable of causing occupational asthma (nickel sulphate))
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
	*STEL value is calculated based on the TWA limit
Graphite (7782-42-5)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	10 mg/m ³ (inhalable aerosol) 4 mg/m ³ (respirable aerosol)
WEL STEL (OEL STEL)*	30 mg/m ³
	*STEL value is calculated based on the TWA limit
Carbon black (1333-86-4)	
United Kingdom - Occupational Exposure Limits	
Local name	Carbon black
WEL TWA (OEL TWA)	3,5 mg/m ³
WEL STEL (OEL STEL)	7 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. hazards in case of damaged / ruptured battery.

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. DIN EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. ISO 13688

Hand protection:

Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Polyvinylchloride (PVC), Nitrile rubber (NBR)	6 (> 480 minutes)	>0.11		ISO 374-1

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. In case of inadequate ventilation wear respiratory protection. EN 143

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Colourless.
Odour	: odourless.
Colour	: Not available
pH	: Not available
pH solution	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flash point	: Not applicable
Flammability	: Not available
Explosive limits	: Not applicable
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not applicable
Relative density	: Not available

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Density	: Not available
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
Viscosity, kinematic	: Not applicable
Explosive properties	: Not available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful. Do not immerse in water, short circuit or overcharge. Keep away from heat and direct sunlight.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agent.

10.6. Hazardous decomposition products

Metal oxides. Carbon oxides (CO, CO₂). Explosion risks of vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

propylene carbonate (108-32-7)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 3000 mg/kg
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: May cause cancer.
Nickel (7440-02-0)	
IARC group	2B - Possibly carcinogenic to humans
Carbon black (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

STOT-single exposure : May cause respiratory irritation.

ethyl methyl carbonate (623-53-0)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Lithium hexafluorophosphate(1-) (21324-40-3)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	---

Ethylene carbonate (96-49-1)

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
------------------------	--

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Other information

Endocrine disrupting properties

No additional information available

Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

propylene carbonate (108-32-7)

LC50 - Fish [1]	> 1000 mg/l
-----------------	-------------

12.2. Persistence and degradability

FLITECELL (UN3480)

Persistence and degradability	Not applicable.
-------------------------------	-----------------

Lithium hexafluorophosphate(1-) (21324-40-3)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Ethylene carbonate (96-49-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

propylene carbonate (108-32-7)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

ethyl methyl carbonate (623-53-0)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

copper (7440-50-8)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

Aluminium (7429-90-5)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

(12190-79-3)	
Persistence and degradability	Biodegradability in water: no data available.
Manganese (7439-96-5)	
Persistence and degradability	Biodegradability in water: no data available.
Nickel (7440-02-0)	
Persistence and degradability	Biodegradability in water: no data available.
Graphite (7782-42-5)	
Persistence and degradability	Biodegradability in water: no data available.
Carbon black (1333-86-4)	
Persistence and degradability	Biodegradability in water: no data available.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

FLITECELL (UN3480)	
This substance does not meet the PBT criteria of UK REACH regulation, annex XIII	
This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII	
Component	
Lithium hexafluorophosphate(1-) (21324-40-3)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Ethylene carbonate (96-49-1)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
propylene carbonate (108-32-7)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
ethyl methyl carbonate (623-53-0)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
copper (7440-50-8)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Aluminium (7429-90-5)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
<Ontbrekende vertaling> (12190-79-3)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Manganese (7439-96-5)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Nickel (7440-02-0)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Graphite (7782-42-5)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Carbon black (1333-86-4)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

12.6. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Ecological waste information : Avoid release to the environment.
European List of Waste (LoW, EC 2000/532) : 16 06 05 - other batteries and accumulators
HP Code : HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence
HP8 - "Corrosive:" waste which on application can cause skin corrosion.
HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number			
UN 3480	UN 3480	UN 3480	UN 3480
14.2. UN proper shipping name			
LITHIUM ION BATTERIES	LITHIUM ION BATTERIES	Lithium ion batteries	LITHIUM ION BATTERIES
Transport document description			
UN 3480 LITHIUM ION BATTERIES, 9, (E)	UN 3480 LITHIUM ION BATTERIES, 9	UN 3480 Lithium ion batteries, 9	UN 3480 LITHIUM ION BATTERIES, 9
14.3. Transport hazard class(es)			
9	9	9	9
			
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M4
Special provisions (ADR) : 188, 230, 310, 348, 376, 377, 387, 636, 677

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906
Transport category (ADR)	: 2
Tunnel restriction code (ADR)	: E
EAC code	: 2Y

Transport by sea

Special provisions (IMDG)	: 188, 230, 310, 348, 376, 377, 384, 387
Limited quantities (IMDG)	: 0
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-I
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW19
Properties and observations (IMDG)	: Electrical batteries containing lithium ion encased in a rigid metallic body. Lithium ion batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.

Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: See 965
CAO max net quantity (IATA)	: See 965
Special provisions (IATA)	: A88, A99, A154, A183, A201, A213, A331, A334, A802
ERG code (IATA)	: 12FZ

Inland waterway transport

Classification code (ADN)	: M4
Special provisions (ADN)	: 188, 230, 310, 348, 376, 377, 387, 636, 677
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: M4
Special provisions (RID)	: 188, 230, 310, 348, _376, 377, 387, 636, 677
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

UK restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
27.	Nickel	Nickel and its compounds
3(a)	ethyl methyl carbonate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Lithium hexafluorophosphate(1-); Ethylene carbonate; propylene carbonate; ethyl methyl carbonate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC).

GB PIC Regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Aluminium powders - 7429-90-5

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (EC 273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ATE	Acute Toxicity Estimate

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Abbreviations and acronyms:

CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
GHS	GHS: Globally Harmonized System of Classification and Labelling of Chemicals

Data sources

: ECHA (European Chemicals Agency). according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. Supplier's safety documents. GB MCL.

Other information

: **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number).

Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 1A	Carcinogenicity, Category 1A
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.

FLITECELL (UN3480)

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Full text of H- and EUH-statements:

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Oral)	H302	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 1A	H350	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 1	H372	Calculation method

This Safety Data Sheet is compiled by: ChemPros B.V. | +31(0)858881927 | info@chemprosbv.nl